


NSC introduction to Tetralith/Sigma

National Supercomputer Centre (NSC), Linköping University

NAISS training, online @NSC 25th Apr 2023, 10:00 - 12:00

Information / Schedule



https://www.nsc.liu.se/support/Events/NSC_intro_Apr2023/

- this presentation as .pdf
- everything underlined is a link

- 10:00** Introduction to Tetralith/Sigma (Weine Olovsson)
- ~10:45** Using Python (Hamish Struthers)
- ~11:00** Using GPUs (Torben Rasmussen)
- ~11:15** Open session, questions?

National Supercomputer Centre (NSC)

NSC is part of:

- **NAISS** National Academic Infrastructure for Supercomputing in Sweden (9 branches)
- **li.u** LINKÖPING UNIVERSITY liu.se

1983 - SAAB buys Cray1




1989 - NSC first supercomputer centre in Sweden / SAAB partner

1996 - SMHI partner



2016 - MET Norway partner



NAISS

Old map:
 **SNIC**

- Continues work of SNIC 2023 - (Dardel, Tetralith, Alvis, ...)

National Academic Infrastructure for Supercomputing in Sweden

Branches at 9 universities (expected):

Chalmers [C3SE](#)

Göteborg

Karolinska

KTH [PDC](#)

Linköping [NSC](#)


Lund [LUNARC](#)

Stockholm

Umeå [HPC2N](#)

Uppsala [UPPMAX](#)


+ entry-level? SLU, LTU, MDU




<https://www.naiss.se/>

 **More info!**

Funding: branches + Vetenskapsrådet (VR)



<https://www.naiss.se/>



More info!

NSC: Quick Overview

Current Director: Björn Alling, Nov 2021 -

~ 40 people (not all full-time)

Mostly **system experts** and **application experts**

- Provide computational resources
- Software installation (global / local)
- Troubleshooting / advice
- Training (NAISS, local and other)

NSC Academic Clusters

32 cores/node

Tetralith (2018 -) 1908 x 2 x 16 cores, Intel Xeon Gold 6130

NAISS

(2020 -) 170 x T4 GPU-nodes

Top500 no. 209 (74)

Sigma (2018 -) 110 x 2 x 16 cores, Intel Xeon Gold 6130 “same” as Tetralith

(2020 -) 2 x V100 GPU-nodes



BerzeLiUs (2021 -) Nvidia DGX SuperPOD, 60 x 8 A100 GPUs




*Knut and Alice
Wallenberg
Foundation*

AI/ML, for all researchers in Sweden



Top500 no. 110 (83)

Where to find Information?



<https://www.nsc.liu.se>

Where to find Information?

The screenshot shows a web browser window with the URL <https://www.nsc.liu.se>. The page features a navigation menu with a dropdown arrow pointing to "USER AREA". Below this, there are four main sections: "User support" (Guides, documentation and FAQ.), "Getting access" (Applying for projects and login accounts.), "System status" (Everything OK! No reported problems), and "Self-service" (with buttons for SUPR and NSC Express).

USER AREA

User support
Guides, documentation and FAQ.

Getting access
Applying for projects and login accounts.

System status
Everything OK!
No reported problems

Self-service

SUPR NSC Express

NSC
National Supercomputer Centre
Linköping University
581 83 LINKÖPING
SWEDEN
Org.nr: 202100-3096

E-mail: support@nsc.liu.se
Tel.: 013-281000 (switchboard)
Fax.: 013-149403
Further address information

NSC is part of Linköping University and the Swedish National Infrastructure for Computing (SNIC).

li.u LINKÖPINGS UNIVERSITET SNIC

Top of Page

Where to find Information?

The screenshot shows a web browser window with the URL <https://www.nsc.liu.se/support/>. The page features the NSC logo and a navigation menu with links for START, SYSTEMS, STORAGE, SOFTWARE, ABOUT, and a highlighted USER AREA. Below the navigation, the breadcrumb "NSC / User support" is visible. The main content area contains a section titled "Get in touch with NSC's support team!" with a sub-header "Before emailing us, please take a moment and read our suggestions on what information you should include in your email." This section lists contact methods for different user groups: academic users who can login to SUPR (Use the SUPR Support Form), academic users who cannot login to SUPR and for general inquiries (support@nsc.liu.se), SMHI, MetCoOp and MET users (smhi-support@nsc.liu.se), and ESGF users (esg-admin@nsc.liu.se). At the bottom, there are six categorized links: Getting started (Accounts, Access and Login), Security (How to keep your own account and NSC's systems secure), Tutorials (Introductions and step-by-step tours of common tasks at NSC), Running applications (Login nodes, interactive jobs, batch jobs), Running graphical applications, and Batch jobs and scheduling (Batch jobs and scheduling, in general and per cluster).

NSC User support

START SYSTEMS STORAGE SOFTWARE ABOUT **USER AREA** 🔍

NSC / User support

Get in touch with NSC's support team!

Before emailing us, please take a moment and read *our suggestions* on what information you should include in your email.

For academic users who can login to SUPR: [Use the SUPR Support Form](#)

For academic users who cannot login to SUPR and for general inquiries: support@nsc.liu.se

For SMHI, MetCoOp and MET users: smhi-support@nsc.liu.se

For ESGF users: esg-admin@nsc.liu.se

Getting started
Accounts, Access and Login

Security
How to keep your own account and NSC's systems secure


Tutorials
Introductions and step-by-step tours of common tasks at NSC

Running applications
Login nodes, interactive jobs, batch jobs.

Running graphical applications

Batch jobs and scheduling
Batch jobs and scheduling, in general and per cluster.


Where to find Information?



The screenshot shows a web browser window with the address bar displaying <https://www.nsc.liu.se/support/>. The browser's address bar includes navigation icons (back, forward, refresh, home) and a search icon. Below the address bar, there are several tabs, including "Most Visited" and "Getting Started". The main content area of the page is a grid of 15 white boxes, each containing a title and a brief description of a help topic. The topics are arranged in a 5x3 grid, with the last cell in the bottom row being empty.

Getting started Accounts, Access and Login	Security How to keep your own account and NSC's systems secure	Tutorials Introductions and step-by-step tours of common tasks at NSC
Running applications Login nodes, interactive jobs, batch jobs.	Running graphical applications X11 forwarding and ThinLinc	Batch jobs and scheduling Batch jobs and scheduling, in general and per cluster.
Application expert help Consulting and advanced support for scientists.	Copying data Getting data to and from the cluster.	Events Current events pages
Getting help Getting support and help from NSC	Memory management Running out of memory. What to do?	Past events Past events pages
Singularity Run applications in a Linux environment of your own choosing. Allows you to e.g run Ubuntu, different versions of CentOS and Docker containers.	Storage Where and how you can store your data	System-specific information Getting Started Guide and detailed information about how to use our systems
PReSTO online documentation		

Getting Access to HPC - SUPR



The screenshot shows a web browser window with the URL <https://supr.naiss.se>. The page features the NAISS SUPR logo on the left and a main content area with the following sections:

- Start**
- SUPR - Swedish User and Project Repository**
- NAISS takes over from SNIC**: From 1 January 2023, NAISS takes over the role previously held by SNIC. Read more at the NAISS site.
- Text: SUPR is the NAISS database used to keep track of persons, projects, project proposals and more. To use most SUPR functions you need to be logged in.
- Buttons: Login using SWAMID, Login using Email and Password, Login using Client Certificate
- If You Cannot Login**
- Buttons: Request Password for Existing Person, Resend Confirmation Email, Register New Person
- Proposals Rounds**
- Text: You can view information about proposal rounds without logging in.
- List of Current NAISS/SNIC Projects**
- Text: You can view a list of current NAISS/SNIC projects without logging in.
- Current NAISS User Agreement**
- Text: You can view the current NAISS User Agreement without logging in.
- Information Regarding Personal Data Processing**
- Text: You can view information regarding personal data processing at the NAISS website without logging in.

<https://supr.naiss.se/>

Support via SUPR

The screenshot shows a web browser window with the URL <https://supr.naiss.se>. The page title is "SUPR - Weine Olovsson". The left sidebar contains navigation links: "Admin" (selected), "User", "Start", "Reviews", "Declared Competence", "Projects" (with a list of project IDs like "NAISS 2023/6-41", "LiU-2019-26 (NSC)", etc.), "Accounts", "Proposals", "Rounds", "Groups", "Personal Information", "Support", and "Logout". The main content area has a "Start" section with a "SUPR - Weine Olovsson" header. Below this, there are three informational boxes: 1) "NAISS takes over from SNIC" with a link to read more. 2) "Get a Two-Factor Authentication Recovery Code" with buttons for "Get Recovery Code" and "Not Now, Remind Me Later". 3) "NAISS Activity Report Wanted" with a table of recent projects. At the bottom, a "Projects" section lists active projects with columns for Project, PI, Project Title, Project Type, Centre, Start Date, End Date, and Your Role.

NAISS SUPR

Admin | User

Start

SUPR - Weine Olovsson

NAISS takes over from SNIC
From 1 January 2023, NAISS takes over the role previously held by SNIC. Read more at the NAISS site.

Get a Two-Factor Authentication Recovery Code
You use two-factor authentication when logging in. If you get a two-factor recovery code, you will be able to use it in the future to reset your two-factor secret, for example if you lose access to the device where you installed the two-factor app.

[Get Recovery Code](#) [Not Now, Remind Me Later](#)


NAISS Activity Report Wanted
The Swedish Research Council requires NAISS to provide reporting of results from all NAISS projects. As a consequence, NAISS requires you to provide activity reports within three months after the end of your NAISS projects and before submitting continuation proposals. You are the PI or proxy for the following recent project that does not yet have an activity report submitted:

Project	Project Title	Project Type	End Date
NAISS 2023/22-205	VASP workshop at NSC 4-5th Apr 2023	NAISS Small Compute	2023-05-01

Projects
You belong to the following active projects:

Project	PI	Project Title	Project Type	Centre	Start Date	End Date	Your Role
NAISS 2023/6-41	Rickard Armiento	Storage for theoretical physics environm...	NAISS Medium Storage	(multiple)	2023-03-07	2024-04-01	extended member
LiU-2019-26	Igor Abrikosov	Electronic structure theory for material...	Centre Local Compute	NSC	2019-06-25	2023-07-01	member

Logged in as: Weine Olovsson
(weine.lovsson@liu.se)
[Turn on warning colour.](#)



Support via SUPR

The screenshot shows a web browser window with the address bar displaying `https://supr.naiss.se/support/`. The page title is "Support". The browser's address bar shows navigation icons, a lock icon, the URL, a refresh icon, a zoom level of 110%, a star icon, and several extension icons.

The page content is organized into a sidebar on the left and a main content area on the right. The sidebar contains the NAISS SUPR logo, user role buttons for "Admin" and "User", and a list of navigation links including "Start", "Reviews", "Projects", "Accounts", "Proposals", "Rounds", "Groups", "Personal Information", "Support", and "Logout". The main content area has a breadcrumb "Start / Support" and a heading "Support". Below the heading is a paragraph explaining the form's purpose and a note about email replies. The form includes sections for "Problem Type", "Centre and Resource", "Project", and "Summary", each with a text input field and a brief instruction.

NAISS SUPR

Admin User

Start

Reviews

Declared Competence

Projects

NAISS 2023/6-41 (multicentre)

LiU-2019-26 (NSC)

SNIC 2022/1-6 (multicentre)

SNIC 2022/1-24 (multicentre)

SNIC 2022/6-189 (multicentre)

LiU-compute-2022-10 (NSC)

NAISS 2023/22-205 (NSC)

Accounts

Proposals

NAISS 2023/22-205 (NSC)

NAISS 2023/1-33 (multicentre)

Rounds

Groups

application-experts

nsc-staff

SNIC-application-mgmt

SNIC-training-coordination

Vasp-5.4.4 VA210132

Personal Information

Support

Logout

Logged in as: Weine Clovsson [weine.clovsson@liu.se] Turn on warning colour.

Start / Support

Support

Use this form to request support for NAISS systems and services (including the SUPR portal itself). If you have multiple issues that are not related, please use the form multiple times, once for each issue.

Replies will be sent to your registered email address `weine.clovsson@liu.se`. If it is wrong, please [change it](#) (and confirm it using the email you get) before submitting a support request here.

Problem Type

Select the problem type that best describes what you want support for. If no other type is appropriate, select **Other issues**.

Centre and Resource

If your problem is related to a specific resource at a centre, select that. If your problem is related to multiple resources at a centre (or no resource listed here at all), select the centre and mention the resources in the problem description below.

Project


If your problem is related to a specific project, select that.

Summary

Provide a concise one-line summary of your problem. It will be used as the subject line in emails about this problem. A good summary makes it easier for the issue to reach the correct persons.

Do not use only generic phrases like "Help", "Problem", "Question", etc.

Projects in SUPR



Support

https://supr.naiss.se/support/

NAISS SUPR

Admin User

Start / Support

Support

Use this form to request support for NAISS systems and services (including the SUPR portal itself). If you have multiple issues that are not related, please use the form multiple times, once for each issue.

Replies will be sent to your registered email address weine.olvsson@liu.se. If it is wrong, please [change it](#) (and confirm it using the email you get) before submitting a support request here.

Problem Type

Select the problem type that best describes what you want support for. If no other type is appropriate, select **Other issues**.

Centre and Resource

If your problem is related to a specific resource at a centre, select that. If your problem is related to multiple resources at a centre (or no resource listed here at all), select the centre and mention the resources in the problem description below.

Project

If your problem is related to a specific project, select that.

Summary

Provide a concise one-line summary of your problem. It will be used as the subject line in emails about this problem. A good summary makes it easier for the issue to reach the correct persons.

Do not use only generic phrases like "Help", "Problem", "Question", etc.

Logged in as:
Weine Olovsson
(weine.olvsson@liu.se)
Turn on warning colour.

Start

Reviews

- Declared Competence

Projects

- [NAISS 2023/6-41](#)
(multicentre)
- [LiU-2019-26 \(NSC\)](#)
- [SNIC 2022/1-6](#)
(multicentre)
- [SNIC 2022/1-24](#)
(multicentre)
- [SNIC 2022/6-189](#)
(multicentre)
- [LiU-compute-2022-10](#)
(NSC)
- [NAISS 2023/22-205 \(NSC\)](#)

Accounts

Proposals

- [NAISS 2023/22-205 \(NSC\)](#)
- [NAISS 2023/1-33](#)
(multicentre)

Rounds

Groups


- application-experts
- nsc-staff
- SNIC-application-mgmt
- SNIC-training-coordination
- Vasp-5.4.4 VA210132

Personal Information

Support

Logout

Projects in SUPR



The Principal Investigator and the proxy can add and remove members in SUPR. Membership in this project can also be requested using the [Request Membership in Project](#) function. The Principal Investigator and the proxy will then get an email with a link in it, that is used to approve or deny the membership request.

Leave Project

Leave Project

Storage projects linked to this compute project

Members of this compute project become extended members of the linked storage project and can access its storage.

Storage Project	Title	PI
SNIC 2022/6-10	Storage for theoretical physics environm...	Rickard Armiento
NAISS 2023/6-41	Storage for theoretical physics environm...	Rickard Armiento

Resources

Allocation shows the current allocation.

Compute


Total Allocation during the whole project is shown with a **Percentage** field to the right, that compares **Total Usage** with the total allocation. The **Allocation until Today** field shows the allocation until today, also with a **Percentage** comparison.

Resource	Allocation Unit	Allocation			Total	
		Total Usage	until Today	Percentage	Allocation	Percentage
Dardel @ PDC	1750 x 1000 core-h/month	12 646.8	16 450.0	76.9 %	21000.0	60.2 %
Tetralth @ NSC	900 x 1000 core-h/month	8 652.5	8 460.0	102.3 %	10800.0	80.1 %


Resource Allocation and Usage

Compute


Projects in SUPR



Resource Allocation and Usage Compute



- Show Usage per day on Dardel @ PDC
- Show Usage per Account on Dardel @ PDC
- Show Usage Histograms for Dardel @ PDC




When & Why to use HPC?

HPC = High Performance Computing

- **High number** of simulation or data analysis jobs
- The jobs are **too large** for a desktop/laptop
- Used in most research fields today
 - Numerical weather prediction
 - Climate simulations
 - Flow simulations
 - Materials science
 - Many disciplines within Chemistry, Physics, Biology
 - ...

Desktop PC vs HPC

Tetralith: 1908 nodes, Sigma: 110 nodes




Desktop/laptop:

8 cores

16 GB RAM

Windows, MacOS (Unix), Linux

1 user



Work node:


32 cores

96 (384) GB RAM

Linux

Omni-Path network

1 - few users at a time



Login nodes:


2 nodes

Linux

Many users

Access to Tetralith

- Typical access: using ssh
- For graphics, use ThinLinc
- Many users share login node
- Be mindful of login node usage
- Work node access via queue system (Slurm)



Access to Tetralith: ssh

ssh: the common, classical way, to login


Typical login via terminal from Linux / Mac:

```
ssh username@tetralith.nsc.liu.se
```

- Windows: can use PuTTY


Note: to end up on a specific login node use:

```
tetralith1.nsc.liu.se  
tetralith2.nsc.liu.se
```

A terminal window with a dark green background and white text. The window title is "weolo — -bash — 80x24". The terminal output shows "Last login: Tue Dec 1 18:24:20 on ttys009" followed by the prompt "Weines-MacBook-Pro:~ weolo\$". The user has entered the command "ssh -l weiol tetralith.nsc.liu.se" and the cursor is at the end of the line.


```
weolo — -bash — 80x24  
Last login: Tue Dec 1 18:24:20 on ttys009  
Weines-MacBook-Pro:~ weolo$ ssh -l weiol tetralith.nsc.liu.se
```

Access to Tetralith: ThinLinc




- ThinLinc - *virtual desktop*
- Persistent sessions (compare screen, tmux)
- Recommended for graphics
- Hardware acc. graphics (vglrun) in some cases

<https://www.nsc.liu.se/support/graphics/>



Some Basics



- **Linux**, see e.g. [guide](#) and [forum](#)
 - ▶ Basic commands: `cd`, `pwd`, `ls`, `mkdir`, `mv`, `grep`, `less`, `cat`, ...
- Common tools
 - ▶ Text editors: `vi`, `gedit`, `emacs`, `nano`, ...
 - ▶ Plotting graphs: `gnuplot`, `grace`, ...
 - ▶ Analysis (basic/complex): `python`, `R`, `Matlab`, ...
- Useful things
 - ▶ Persistent terminal session: `screen`, `tmux`
 - ▶ Check compute usage: `projinfo`
 - ▶ Check disk usage: `nscquota`

Files & Storage

Recover deleted files?

Three types of storage areas available:

	Backup?	Snapshot?
1. Personal home directory, e.g. /home/x_user	yes!	yes!
2. Project storage, owned by PI, e.g. /proj/ourstuff	no!	yes!
3. Work node local disk (during runs)	no!	no!

Some notes:


- Use `nscquota` to check available disk space
- Project storage is linked to specific project allocation and life time
- Good idea to have your own backup
- **Data is never 100% safe, there's always some risk**

<https://www.nsc.liu.se/support/storage/snic-centrestorage/recover-deleted-files/>

<https://www.nsc.liu.se/support/storage/index.html>


Basic Security

- Unique password (non-trivial but not overly complicated)
- Suspicion that your account is compromised -> contact NSC
- Don't hesitate to contact us!
- Sharing accounts is not allowed (accounts are personal)
Share files e.g. by managing project memberships and use /proj



Software: How do I get Code X?

1. Check installed software webpage



Special wrappers/rec. e.g.: Gaussian


2. Check module system (module avail)

3. Ask NSC support

4. Build and install yourself

NSC software installation policy:

- Users encouraged to install in /home or /proj
- NSC can help to install on request




Testing,
benchmarking,
optimization

Global installation: wide or not usage, license?

<https://www.nsc.liu.se/software/installed/>

<https://www.nsc.liu.se/software/installation-policy/>

Software: Installation Webpage



The screenshot shows a web browser window with the URL <https://www.nsc.liu.se/software/installed/>. The page features the NSC logo and a navigation menu with links for START, SYSTEMS, STORAGE, SOFTWARE, ABOUT, and a USER AREA dropdown. A secondary menu includes links for Installed software, Software installation policy, Software licensing, Compilers, NSC build environment, Modules, MPI libraries, Math libraries, and Python at NSC. The main content area has a breadcrumb trail: NSC / Software / Installed software. The page title is "Installed software", followed by an introductory paragraph. A section titled "Software portfolios by cluster" contains two bullet points. Below that is a "Module system" section with a code block. The "SNIC knowledge base" section is partially visible at the bottom.

NSC Installed software

<https://www.nsc.liu.se/software/installed/>

NSC

START SYSTEMS STORAGE SOFTWARE ABOUT USER AREA

Installed software Software installation policy Software licensing Compilers NSC build environment Modules

MPI libraries Math libraries Python at NSC

NSC / Software / Installed software

Installed software

NSC has a large number of software installations available, often in multiple versions to suit the needs of various user communities. For a list of installed software, please see the corresponding resource page below. If you need software that is presently not installed, please see our [software installation policy](#).

Software portfolios by cluster

- [Tetralith & Sigma Software List](#).
- For Bi and Nebula, please look at the list above (software present there that is not already on Bi/Nebula can be requested).

Module system

You can also query the [module system](#) for available software and recommendations on what versions to use, e.g:

```
module avail
module add vasp/recommendation
```

SNIC knowledge base

Information on software and availability for all of SNIC is also available in the [SNIC knowledge base software section](#).

<https://www.nsc.liu.se/software/installed/>

Software: Installation Webpage

The screenshot shows a web browser window with the URL <https://www.nsc.liu.se/software/catalogue/tetralith/>. The page header includes the NSC logo and navigation links for Tetralith, Sigma, Nebula, Bi, and Berzelius. The main heading is "Software on Tetralith and Sigma". Below this, there is explanatory text about software support tiers and a list of categories: All, Chem, Phys, Bio, CAE, Geo, Math, Devel, Data, Tools, Vis, Misc. A search bar is present with a red arrow pointing to it. A table lists various software packages with their descriptions and support tiers.

NSC Software Installations Tetralith Sigma Nebula Bi Berzelius

Software on Tetralith and Sigma

The scientific applications listed in the table below have been installed centrally under </software/sse/>. Each software installation is categorized into one of three [software support tiers](#), depending on the level of help we can provide for that particular software.

Some useful software and tools, such as a few editors are installed as part of the operating system and are not listed here.

This list was last updated on: 2022-10-26


[All](#) [Chem](#) [Phys](#) [Bio](#) [CAE](#) [Geo](#) [Math](#) [Devel](#) [Data](#) [Tools](#) [Vis](#) [Misc](#)

Search:

Software	Description	Support
ABAQUS	The Abaqus FEA software suite offers various tools for stress analysis, heat transfer, fluid mechanics <i>etc.</i>	tier3
ABINIT	ABINIT calculates the total energy and properties of materials and molecules using, primarily, DFT.	tier2
allinea-DDT	ARM/Allinea DDT is a debugging tool for scalar, multi-threaded and large-scale parallel applications.	tier2
allinea-forge	ARM/Allinea DDT is a debugging tool for scalar, multi-threaded and large-scale parallel applications.	tier2
allinea-MAP	ARM/Allinea MAP is a profiler for scalar, multi-threaded and large-scale parallel applications.	tier2
AlphaFold	Implementation of the inference pipeline of AlphaFold v2.0.	tier3
Amber	Amber is a suite of biomolecular simulation programs.	tier3
Anaconda	The Anaconda Python distribution platform for Python and R scientific computing.	tier2

<https://www.nsc.liu.se/software/catalogue/tetralith/>

Software: Installation Webpage




The screenshot shows a web browser window with the URL <https://www.nsc.liu.se/software/catalogue/tetralith/>. The page title is "NSC Software Installations". The navigation menu includes "Tetralith", "Sigma", "Nebula", "Bi", and "Berzelius". The main heading is "Software on Tetralith and Sigma".

The text explains that scientific applications are listed in a table, categorized into three software support tiers based on the level of help provided. It notes that some useful software and tools are installed as part of the operating system and are not listed here. The list was last updated on 2022-10-26.


Navigation tabs include: All, Chem, Phys, Bio, CAE, Geo, Math, Devel, Data, Tools, Vis, Misc. A search bar contains the text "vasp".

Software	Description	Support
p4vasp	p4vasp is a popular tool for VASP visualization.	tier3
VASP	Electronic structure calculations using PAW-method DFT	tier1
VASP-OMC	Modified VASP for occupation matrix control	tier3
VASP-VTST	Utility version of VASP including: VTST 3.2, VASPsol, BEEF	tier3
vasptools	A collection of useful VASP scripts.	tier3

Showing 5 entries (filtered from 161 total entries)



Software: Installation Webpage



The screenshot shows a web browser window with the address bar displaying <https://www.nsc.liu.se/software/catalogue/tetralith/modules/vasp.html>. The page header includes the NSC Software Installations logo and navigation links for Tetralith, Sigma, Nebula, Bi, and Berzelius. The main content area is titled "VASP" and features a blue information banner stating "This software is under support tier 1!". Below this, the "Software description" section defines VASP as a computer program for atomic scale materials modelling. The "License" section provides a link to the licensing page. The "NSC documentation" section includes a yellow information banner with a red arrow pointing to the text "Please make sure to read our documentation: VASP". The "Available Modules" section lists several version identifiers.

NSC Software Installations Tetralith Sigma Nebula Bi Berzelius

VASP

i This software is under [support tier 1!](#)

Software description

VASP - Vienna ab initio simulation package, "a computer program for atomic scale materials modelling, e.g. electronic structure calculations and quantum mechanical molecular dynamics, from first principles."

License

Note: VASP is a licensed software. Please check further information on the licensing page: www.nsc.liu.se/software/software-licensing/vasp/

Homepage: vasp.at/

NSC documentation

i Please make sure to read our documentation: [VASP](#)

Available Modules

- [6.3.2.27062022-omp-nsc1-intel-2018a-eb](#)
- [6.3.1.04052022-omp-nsc1-intel-2018a-eb](#)
- [6.3.0.20012022-omp-nsc1-intel-2018a-eb](#)
- [6.2.1.29042021-omp-nsc1-intel-2018a-eb](#)
- [6.2.0.14012021-omp-nsc1-intel-2018a-eb](#)
- [6.1.2.25082020-omp-nsc1-intel-2018a-eb](#)
- [6.1.2.25082020-nsc1-intel-2018a-eb](#)
- [6.1.0.28012020-nsc1-intel-2018a-eb](#)

Software: Installation Webpage

NSC VASP

https://www.nsc.liu.se/software/installed/tetralith/vasp/

NSC

START SYSTEMS STORAGE SOFTWARE ABOUT USER AREA

ABAQUS ABINIT AMBER ANSYS ANSYS-EM ASE ATAT Allinea Performance Reports Allinea-DDT
Allinea/ARM-MAP CASTEP CDO CESM COMSOL CP2K CPMD DL_POLY Dalton/LSDalton EC-Earth
EPW Eik FERRET GPAW GROMACS Grace Gurobi Optimizer HDF5 Julia LAMMPS MATLAB
MOLDEN Mathematica NAMD NCO NCVIEW NorESM Open Babel OpenFOAM ParaView Pymatgen
Quantum ESPRESSO STAR-CCM+ Siesta USPEX UppASD VMD VisIt WEST WIEN2K Yambo ecCodes
exciting grib_api netCDF p4vasp parallel phono3py phonopy vasptools Schrödinger suite **VASP**
Clang Gaussian and GaussView

NSC / Software / Installed software / / VASP

VASP Installations on Tetralith & Sigma

First of all, **VASP** is a licensed software, your name needs to be included on a VASP license in order to use NSC's centrally installed VASP binaries. [Read more about how we handle licensing of VASP at NSC.](#)

Some problems which can be encountered running VASP are described at the end of this page.

VASP6

VASP6 was released in beginning of 2020. This means e.g. that VASP5 license holders will need to update their license in order to access VASP6 installations at NSC. If you have a VASP 5.4.4 license, you are typically covered for updates of VASP 6.X.X for three years, check your license for the exact details.

Documentation

Software: Module System

module help ...	Show information for module ...
module avail	List available modules
module avail ...	Search after module containing ... in its name
module add ...	Add a module (same as module load ...)
module list	List your loaded modules
module rm ...	Remove the ... module
module purge	Remove all loaded modules (useful to start “clean”)

Software: Module System

NSC module usage:

- Only load specific software module (not dependencies)
at many other centers, must load all dependencies
- Only load build environment when building
gives access to specific build time modules

Software: Module System

```
[weiol@tetralith2 ~]$ module avail vasp
```

```
----- /software/sse/modules -----  
p4vasp/recommendation (D) VASP-VTST/3.2-sol-5.4.4.16052018-vanilla-nsc1-intel-2018a-eb  
VASP/5.4.4.16052018-wannier90-nsc1-intel-2018a-eb VASP/6.3.0.20012022-omp-nsc1-intel-2018a-eb  
p4vasp/tmp1 VASP-VTST/4.2-6.3.0.20012022-nsc1-intel-2018a-eb  
VASP/5.4.4.16052018-wannier90-nsc2-intel-2018a-eb VASP/6.3.1.04052022-omp-nsc1-intel-2018a-eb  
p4vasp/0.3.30-nsc1 VASP/recommendation (D)  
VASP/6.1.0.28012020-nsc1-intel-2018a-eb VASP/6.3.2.27062022-omp-nsc1-intel-2018a-eb  
VASP-OMC/recommendation (D) VASP/5.4.4.16052018-nsc1-intel-2018a-eb  
VASP/6.1.2.25082020-nsc1-intel-2018a-eb vasptools/0.3  
VASP-OMC/5.4.4.16052018-nsc1-intel-2018a-eb VASP/5.4.4.16052018-nsc1-intel-2018b-eb  
VASP/6.1.2.25082020-omp-nsc1-intel-2018a-eb. VASP-VTST/recommendation (D)  
VASP/5.4.4.16052018-nsc2-intel-2018a-eb VASP/6.2.0.14012021-omp-nsc1-intel-2018a-eb  
VASP-VTST/3.2-sol-5.4.4.16052018-nsc2-intel-2018a-eb VASP/5.4.4.16052018-vanilla-nsc1-intel-2018a-eb  
VASP/6.2.1.29042021-omp-nsc1-intel-2018a-eb
```

Where:

D: Default Module

Use "module spider" to find all possible modules.

Use "module keyword key1 key2 ..." to search for all possible modules matching any of the "keys".


```
[weiol@tetralith2 ~]$
```

<https://www.nsc.liu.se/software/modules/>

Software: Compilers and Libraries

NSC recommendation: to compile your own software, load a **build environment**

- Compilers
 - Intel: icc, ifort
 - Gcc: gcc, gfortran
- MPI libraries
 - Intel (impi), OpenMPI
- Math libraries
 - e.g. MKL
- Build environments
 - e.g. `buildenv-intel/2018a-eb`



Software: Build Environment

```
[weiol@tetralith1 ~]$ module avail buildenv
```

```
----- /software/sse/modules -----  
buildenv-gcc/recommendation (D)      buildenv-gcc/2016b-eb      buildenv-gcccuda/11.4-9.3.0-bare  
buildenv-intel/2015.1.133-impi-2018.1.163-eb  buildenv-intel/2018b-eb  buildenv-nvhpc/recommendation (D)  
buildenv-gcc/7.3.0-bare              buildenv-gcc/2018a-eb      buildenv-impi-gcc/recommendation (D)  
buildenv-intel/2016b-eb              buildenv-intel/2018.u1-bare  buildenv-gcc/9.3.0-bare  
buildenv-gcccuda/recommendation (D)      buildenv-impi-gcc/2018a-eb  buildenv-intel/2017.u7-bare  
buildenv-intel/2021.3.0-oneapi         buildenv-gcc/11.3.0-bare    buildenv-gcccuda/10.2-7.3.0-bare  
buildenv-intel/recommendation (D)        buildenv-intel/2018a-eb    buildenv-nvhpc/cu11.4-22.1-bare
```

Where:

D: Default Module

Use "module spider" to find all possible modules.

Use "module keyword key1 key2 ..." to search for all possible modules matching any of the "keys".

```
[weiol@tetralith1 ~]$
```

Software: Build Environment

```
[weiol@tetralith1 ~]$ module add buildenv-intel/2018a-eb
```

```
*****
```

```
You have loaded an intel buildenv module
```

```
*****
```

```
The buldenv-intel module makes available:
```

- Compilers: icc, ifort, etc.
- Mpi library with mpi-wrapped compilers: intel mpi with mpiicc, mpiifort, etc.
- Numerical libraries: intel MKL

It also makes a set of dependency library modules available via the regular module command. Just do:

```
module avail
```

to see what is available.

NOTE: You should never load build environments inside submitted jobs.
(with the single exception of when using supercomputer time to compile code.)

```
[weiol@tetralith1 ~]$ module list
```

Currently Loaded Modules:

1) mpprun/4.1.3	5) buildtool-easybuild/4.3.0-nscde3532a	9) ifort/.2018.1.163-GCC-6.4.0-2.28 (H) 13)
buildenv-intel/2018a-eb		
2) nsc/.1.1 (H,S)	6) GCCcore/6.4.0	10) impi/.2018.1.163 (H)
3) EasyBuild/4.3.0-nscde3532a	7) binutils/.2.28 (H)	11) imkl/.2018.1.163 (H)
4) nsc-eb-scripts/1.2	8) icc/.2018.1.163-GCC-6.4.0-2.28 (H)	12) intel/2018a

Where:


S: Module is Sticky, requires `--force` to unload or purge

H: Hidden Module

```
[weiol@tetralith1 ~]$
```

Queue System: Slurm

- Many jobs & users
- Resource access via Slurm
- Several methods:
 - sbatch
 - interactive
- Run as much possible, based on prior usage
- Fairshare scheduling with backfill
- 168 hours (7d) walltime limit
- Avoid short time wide jobs, “flat jobs”
- Priority boosting available




Slurm: Running Batch Job

- Regular production runs
- Output to files

`slurm-JOBID.out`

project
time
MPI ranks
job name

NSC MPI job
launching tool



Example: a job script called "run.sh"

```
#!/bin/bash
#SBATCH -A naiss2020-13-76
#SBATCH -t 1:00:00
#SBATCH -n 32
#SBATCH -J vaspstst

module load VASP/6.3.2.27062022-omp-nsc1-intel-2018a-eb
mpprun vasp_std
```

Submit job:

`sbatch run.sh`

Check queue:

`squeue -u USERNAME`

Checking jobs:

`jobload JOBID`

`jobsh NODE`

`seff JOBID`

`lastjobs`

login to node, run "top"

Slurm: Interactive Job

- Testing, debugging
- Hands-on, direct node access

Example: similar settings as for the job script

```
[weiol@tetralith1 ~]$interactive -A naiss2020-13-76 -n 32 -t 1:00:00
salloc: Pending job allocation 11193334
salloc: job 11193334 queued and waiting for resources
salloc: job 11193334 has been allocated resources
salloc: Granted job allocation 11193334
srun: Step created for job 11193334
[weiol@n405 ~]$
```

- Special queue for brief testing, max 1h, max 1 node (also with job script)
`--reservation=devel`

Best Practices & Suggestions

In general:

- Be careful how you use Tetralith/Sigma login nodes
- Use SUPR to follow project usage
- Use the NSC documentation  **contact us if problems!**
we try to describe everything...
- Be careful about what you put in `.bashrc` (keep as simple as possible)
- Don't hesitate to contact support@nsc.liu.se for help/questions


Best Practices & Suggestions

Common problems:

- My job **failed/crashed**. What now?
 - First, try to understand the cause
 - Contact support@nsc.liu.se / fill in form <https://supr.naiss.se>
 - ➔ [provide details!](#) username, system, jobid, job path, ...
- Odd problems (lots of things set in .bashrc?)
- Don't run heavy stuff / production work on the login node
 - For brief testing e.g. run interactively `--reservation=devel`

Further Resources

- [Working effectively on Tetralith / Sigma 2018](#)
- [Working with Python on Tetralith 2019](#)
- [NSC introduction day 2017](#) [More details, e.g. running calcs.](#)



[Check links for presentations \(.pdf\)](#)

- [Presentations available at webpage!](#)

- [Working effectively with HPC systems](#)